# Safety Data Sheet **PIXEL ANGEL**

# SDS Revision Date: 14/09/2022

#### 1. Identification

1.1 Product identifier

Product identity: PIXEL ANGEL Optic & Sensor Cleaning Fluid

Alternate Names: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use

These products are intended for cleaning optical glass lenses, filters and sensors such as those used in photography, binoculars, telescope, etc

#### Restrictions on use

Do not use these products on eyeglasses with any coatings or plastic of any kind.

1.3 Details of the supplier of the data sheet

**Company Name** 

JTH Photographic trading as "Pig Iron"

Castle Hill, High Street, Maryport, Cumbria, CA15 6BQ, United Kingdom

**Customer Service** 

Phone +447900560818 (Office Hours)

#### 2. Hazard(s) Identification

2.1 Hazard Classification

Physical Hazard:

Flammable liquids	Category2
Health Hazards:	
Acute toxicity (oral)	Category3
Acute toxicity (dermal)	Category3
Acute toxicity (Inhalation-vapour	r) Category3
Skin Corrosion / irritation	Category2
Serious Eye Damage / Irritation	Category2A
Toxic to reproduction	Category2
Specific Target Organ Toxicity	Single Exposure Category1

#### 2.2 Label Elements

#### Hazard Symbols: Flammable, Toxic

Signal word: Danger

# Hazard statement:

Toxic in contact with skin.

- Toxic if swallowed.
- Toxic if inhaled
- Highly flammable liquid and vapor.
- Causes skin irritation.
- Causes serious eye irritation
- Suspected of damaging fertility or the unborn child.
- Causes damage to organs.

# 2.3 Precautionary Statements

#### Prevention:

Read instructions with product before use. Do not breathe dust/fume/gas/mist/vapours/spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing / eye protection / face protection. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion- proof electrical/ventilating/lighting/equipment. Take precautionary measures against static discharge.

#### Response:

IF EXPOSED or CONCERNED: Get medical advice/ attention. IF ON SKIN(or hair): Take off immediately all contaminated clothing. Rinse skin or hair with water/shower. IF IN EYES. Remove contact lenses, if present and easy to do. Rinse cautiously with water tor several minutes and seek immediate medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

#### Storage:

Store in a well-ventilated place. Keep cool. Store locked up.

#### Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations and product characteristics at time of disposal.

Other hazards which do not result in GHS classification:

Static accumulating flammable liquids can become electro statically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapour. May cause flash fire or explosion.

#### 3. Composition/Information on Ingredients

3.1 Substance

Chemical identity	Common name/synonyms	CAS number	Content in percent
METHYL ALCOHOL	Methanol	67-56-1	90-99.9%
ETHYL ALCOHOL	Ethanol	64-17-5	0.01-10%

CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

# 4. First Aid Measures

4.1 Description of first aid measures

#### General information:

Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

#### Ingestion:

Call a physician or poison control centre immediately. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get in to the lungs.

# Inhalation:

Move to fresh air. Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen.

#### Skin Contact:

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control centre immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

# Eye contact:

Immediately flush with plenty of water tor at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms:

Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Irritating to eyes, respiratory system and skin.

4.3 Indication of any immediate medical attention and special treatment needed

#### Treatment:

Treat symptomatically. Symptoms may be delayed.

# 5. Fire-Fighting Measures

General Fire Hazards:

Use water spray to keep fire exposed containers cool. Fight fire from a protected location. Move containers from fire area it you can do so without risk. Cool containers exposed to flames with water until well after the fire is out.

5.1 Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical:

Can be ignited easily and burns vigorously. Vapour from the solvent may accumulate in container head space resulting in flammability hazard. Fire may produce irritating, corrosive and /or toxic gases.

5.2 Special Protective Equipment and Precautions for Fire-Fighters

Special firefighting procedures:

Static charges generated by emptying package in or near flammable vapour may cause flash fire.

Special protective equipment for fire-firefighters: Fire-fighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

# 6. Accidental Release Measure

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Keep unauthorized personnel away. Keep up wind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. All equipment used when handling the product must be grounded. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures:

Dike tor later disposal Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved

**Environmental Precautions:** 

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, watercourses or onto the ground.

# 7. Handling and Storage

Precautions for safe handling:

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharge. Use only non-sparking tools. Use personal protective equipment as required. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Do not eat, drink or smoke when using

the product. Use only with adequate ventilation. Wash hands thoroughly after handing. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibles:

Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Keep container tightly closed in a cool, well-ventilated place. Store in a dry place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

# 8. Exposure Controls and Personal Protection

**Control Parameters** 

# **Occupational Exposure Limits:**

Chemical identity	Туре	Exposure Limi	it Source
METHYL ALCOHOL	TWA	200ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	250ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	325mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards(2010)
	REL	260mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards(2010)
	PEL	260,g/m3	US.OSHATableZ-1 Limits for Air Contaminants
			(29 CFR1910.1000)(02 2006)
	TWA	260mg/m3	US.OSHATableZ-1-A(29 CFR 1910.1000) (1989)
	STEL	325mg/m3	US.OSHATableZ-1-A(29 CFR 1910.1000) (1989)

# **Biological Limit Values:**

Chemical identity	Exposure Limit	Source
METHYL ALCOHOL	15mg/l (Urine)	ACGIHBEL(03 2013)

(Methanol: Sampling time: End of shift)

Appropriate Engineering Controls: No Data Available

# Individual protection measures, such as personal protective equipment

#### General information:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eyewash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

Eye/face protection:

Chemical goggles and face shield are recommended.

Skin Protection/Hand Protection:

Chemical resistant gloves

Other:

Wear suitable protective clothing and gloves.

**Respiratory Protection:** 

In case of inadequate ventilation, use suitable respirator.

Hygiene measures:

Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash contaminated clothing before reuse.

# 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	
Physical State:	Liquid
Form:	Liquid
Colour:	Colourless
Odour:	Characteristic, Pungent
Odour threshold:	No data available
pH:	No data available
Melting point/ freezing point:	-97.8 degrees C
Initial boiling point and boiling range:	64 degrees C (101.3kPa)
Flash Point:	11-12 degrees C (Closed Cup)
Evaporation rate:	No data available
Flammability (solid, gas):	Class IB Flammable Liquid
Upper/lower limit on flammability or explosive limits	
Flammability limit-upper(%):	36% (V)
Flammability limit-lower(%):	6% (V)
Explosive limit-upper(%):	No data available
Explosive limit-lower(%):	No data available
Vapour pressure:	16.9kPa (25 degrees C)
Vapour density:	1.11 AIR=1
Relative density:	0.8 (20 degrees C)
Solubility(ies):	
Solubility in water:	1,000g/l miscible with water

Solubility (other):	No data available	
Partition coefficient (n-octanol/water):	-0.77	
Auto-ignition temperature:	464 degrees C	
Decomposition temperature:	No data available	
Viscosity:	No data available	
Molecular weight:	32.04g/mol(CH4O)	
10. Stability and Reactivity		
Reactivity:	Contact with metals may evolve flammable hydrogen gas.	
Chemical Stability:	Material is stable under normal conditions.	
Possibility of Hazardous Reactions:	Hazardous polymerization does not occur.	
Conditions to Avoid:	Heat, sparks, flames. Sunlight.	
Incompatible Materials:	Oxidizing agents. Strong oxidizing agents. Acids.	
Hazardous Decomposition Products:	Thermal decomposition may release oxides of carbon. Formaldehyde. Toxic gas	

# 11. Toxicological Information

U		
11.1 Information on likely routes of exposure		
Ingestion:	Toxic if swallowed	
Inhalation:	Toxic by inhalation	
Skin contact:	Toxic in contact with skin.	
Eye contact:	Causes serious eye irritation.	
11.2 Information on toxicological effects		
Acute toxicity.		
Oral Product:		
LD50 (Rat):5,628mg/kg		
LD50 (Mouse):7,300mg/kg		
LD50 (Rabbit):14,300mg/kg		
Dermal Product:		
LD50 (Rabbit):15,800mg/kg		
Inhalation Product:		
LC50 (Rat,1h):>145000ppm		
LC50 (Rat,4h): 64000ppm		

# **Repeated dose toxicity**

Product: In serious cases absorption or methanol in the body may lead to damage to the eyesight.

# **Skin Corrosion / Irritation**

Product: Causes skin irritation.

# Serious Eye Damage/ Eye Irritation

Product: Causes eye irritation

# **Respiratory or Skin Sensitization**

Product: Not a skin sensitizer.

# Carcinogenicity

Product:

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified.

- US National Toxicology Program (NTP) Report on carcinogens
- No carcinogenic components identified.
- US OSHA Specifically Regulated Substances (29CFR1910.1001-1050):
- No carcinogenic components identified.

# **Germ Cell Mutagenicity**

In vitro product: No carcinogenic components identified.

In vivo product: No carcinogenic components identified.

# **Reproductive toxicity**

Product: Suspected of damaging fertility or the unborn child.

# Specific Target Organ Toxicity - Single Exposure

Product: Central nervous system. Eyes.

# Specific Target Organ Toxicity - Repeated Exposure

Product: None known

#### **Aspiration Hazard**

Product: No data available

Other effects: None known

# 12. Ecological Information

# **Ecotoxicity:**

Acute hazards to the aquatic environment:

# Fish

Product: LC50 (Fathead minnow Pimephales Promelias), 96h:>100mg/l

# **Aquatic Invertebrates**

Product: EC50 Waterflea (Daphnia magna), 48h):> 10,000mg/l

# Chronic hazards to the aquatic environment

# Fish

Product: No data available.

# **Aquatic Invertebrates**

Product: No data available.

# **Toxicity to Aquatic Plants**

Product: No data available.

# Persistence and Degradability:

# **Biodegradation**

Product: Expected to be readily biodegradable.

# **BOD/ COD Ratio**

Product: No data available.

# **Bio-accumulative Potential**

# **Bio-concentration Factor (BCF)**

Product: May accumulate in soil and water systems.

# Partition Coefficient n-octanol/water (log Kow)

Product: Log Kow:-0.77

Mobility in Soil: No data available.

# **Other Adverse Effects:**

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

# 13. Disposal Considerations

Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging:

Since emptied containers retain product residue, follow label warnings even after container is emptied.

# 14. Transport Information

# PIXEL ANGEL

DOT: Not regulated. If packaged according to DOT and/or carriers requirements for ground/surface transport for LIMITED QUANTITY.

IATA: Consumer Commodity, ID8000. Class 9 Packing Instruction 910 (There is no Packing Group Designation) For International air shipments only.

IMDG: Regulated. (UN1993) Page #3230. Flammable Liquid NOS & Marine Pollutant.

This product may be shipped via surface (ground) services if properly packaged and marked as a LIMITED QUANTITY. Consult carrier regulations for packaging requirements and suitability of mailing of LTD QTTY materials.

# 15. Regulatory Information

# **15.1 US Federal Regulations**

# TSCA Section 12(b) Export Notification (40CFR707, Subpt. D

# US OSHA Specifically Regulated Substances (29CFR1910.1001-1050)

None present or none present in regulated quantities.

# 15.2 CERCLA Hazardous Substance List (40CFR302.4)

Chemical Identity Reportable Quantity

METHYL ALCOHOL 5,000lbs

# 15.3 Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard Categories

Acute (Immediate)

Chronic (Delayed)

Fire

# SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

# SARA 304 Emergency Release Notification

Chemical Identity Reportable Quantity

METHYL ALCOHOL 5,000lbs

#### SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

METHYL ALCOHOL 10,000lbs

# SARA 313 (TRI Reporting)

Chemical Identity	Reporting threshold tor other users.	Reporting threshold for manufacturing and processing
METHYL ALCOHOL	10.000lbs	25.000lbs

# Clean Water Act Section 311 Hazardous Substances (40CFR117.3)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40CFR68.130)

None present or none present in regulated quantities.

#### 15.4 US State Regulations

#### **US. California Proposition 65**

METHYL ALCOHOL

Developmental toxin. WARNING: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

# US. New Jersey Worker and Community Right-to-Know Act

Chemical identity

METHYL ALCOHOL

# **US. Massachusetts RTK- Substance List**

Chemical identity

METHYL ALCOHOL

# US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

METHYL ALCOHOL

# US. Rhode Island RTK

Chemical identity

METHYL ALCOHOL ; METHANOL

Disclaimer:

THE INFORMATION PRESENTED IN THIS SAFETY DATA SHEET (SDS) WAS PREPARED BASED ON DATA THAT IS BELIEVED TO BE ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED AS IS, AND JTH PHOTOGRAPHIC LTD MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS SDS MUST ALWAYS EXERCISE THIR OWN INDEPENDENT JUDGEMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, JTH PHOTOGRAPHIC LTC ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. JTH PHOTOGRAPHIC LTD REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS SDS AVAILABLE TO YOUR EMPLOYEES.